Author Index

A

Abrass IB (*see* Puolakkainen et al). 1995;3:330-9
Alaish SM, Bettinger DA, Olutoye OO, Gould LJ, Yager DR, Davis A, Crossland MC, Diegelmann RF, Cohen K. Comparison of polyvinyl alcohol sponge and expanded polytetrafluoroethylene subcutaneous implants as models to evaluate wound healing potential in human beings. 1995;3:292-8
Antoniades HN (*see* Kiritsy et al). 1995;3:340-50
Armstrong JR (*see* Bardsley et al). 1995;3:426-41
Arnold F, Jia C, He C, Cherry GW, Carbow B, Meyer-Ingold W, Bader D, West DC. Hyaluronan, heterogeneity, and healing: the effects of ultrapure hyaluronan of defined molecular size on the repair of full-thickness pig skin wounds. 1995;3:299-310
Assouline M (*see* Stern et al). 1995;3:59-65

B

Bader D (*see* Arnold et al). 1995;3:299-310
Bardsley WG, Sattar A, Armstrong JR, Shah M, Brosnan P, Ferguson MWJ. Quantitative analysis of wound healing. 1995;3:426-41
Barker JH (*see* Kim et al). 1995;3:506-11
Barth RK (*see* Sempowski et al). 1995;3:120-31 (Perspective)
Beaulieu MT (*see* Kiritsy et al). 1995;3:340-50
Bettinger DA (*see* Alaish et al). 1995;3:292-8
Beurerman RW (*see* Stern et al). 1995;3:59-65
Bijur GN (*see* Robertson et al). 1995;3:473-84
Blieden TM (*see* Sempowski et al). 1995;3:120-31 (Perspective)
Bond S (*see* Kim et al). 1995;3:506-11
Boros LG (*see* Robertson et al). 1995;3:473-84
Borrello MA (*see* Sempowski et al). 1995;3:120-31 (Perspective)
Boyce ST (*see* Goretsky et al). 1995;3:213-20
—— (*see* Goretsky et al). 1995;3:419-25
Breeden M (*see* Goretsky et al). 1995;3:213-20
Broadley C, Broadley KN, Disimone G, Reinisch L, Davidson JM. Low-energy helium-neon laser irradiation and the tensile strength of incisional wounds in the rat. 1995;3:512-7
Broadley KN (*see* Broadley et al). 1995;3:512-7
Broemeling LD (*see* Kucukcelebi et al). 1995;3:49-58
Brosnan P (*see* Bardsley et al). 1995;3:426-41
Brown RL, Ormsby I, Doetschman TC, Greenhalgh DG. Wound healing in the transforming growth factor-β_1–deficient mouse. 1995;3:25-36
Burnett S (*see* Rogers et al). 1995;3:273-83

C

Cabrera RC (*see* McMullen et al). 1995;3:141-56
Calcutt AF (*see* Lucas et al). 1995;3:449-60
Canete J (*see* McMullen et al). 1995;3:141-56
Carbow B (*see* Arnold et al). 1995;3:299-310
Carlson MR (*see* Kiritsy et al). 1995;3:340-50
Chegini N (*see* Tang et al). 1995;3:518-26
Chen WYJ (*see* Rogers et al). 1995;3:273-83
Cherry G. The past, present, and future of wound healing. 1995;3:119 (Editorial)
Cherry GW (*see* Arnold et al). 1995;3:299-310
Cohen IK. 1995;3:2 (Editorial)
Cohen IK (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Cohen IK (*see* Mast et al). 1995;3:66-72
—— (*see* Haynes et al). 1995;3:467-72
—— (*see* Jorgensen et al). 1995;3:527-32
Cohen K (*see* Alaish et al). 1995;3:292-8
Cooper DM (*see* Robson et al). 1995;3:157-67
Cox GN (*see* Zhao et al). 1995;3:316-21
Crossland MC (*see* Alaish et al). 1995;3:292-8
Curcio LD (*see* Hakim et al). 1995;3:492-9

D

D'Andrea M (*see* Kiritsy et al). 1995;3:340-50
Davidson JM (*see* Broadley et al). 1995;3:512-7
Davis A (*see* Alaish et al). 1995;3:292-8
Davis SC (*see* Kaiser et al). 1995;3:311-5
De Coninck A (*see* Roseeuw et al). 1995;3:500-5
Delaey BM (*see* Roseeuw et al). 1995;3:500-5
Diegelmann RF (*see* Alaish et al). 1995;3:292-8
Diegelmann RF (*see* Mast et al). 1995;3:66-72
—— (*see* Haynes et al). 1995;3:467-72
—— (*see* Jorgensen et al). 1995;3:527-32
Disimone G (*see* Broadley et al). 1995;3:512-7
Doetschman TC (*see* Brown et al). 1995;3:25-36
Draye J-PM (*see* Roseeuw et al). 1995;3:500-5
Durham DR (*see* Nanney et al). 1995;3:442-8

January-March, pp. 1-118; April-June, pp. 119-246; July-September, pp. 247-404; October-December, pp. 405-560.

E

Eckes B, Krieg T, Nusgens BV, Lapière CM. In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review. 1995;3:248-57 (Perspective)
Ehrlich HP (*see* Garner et al). 1995;3:185-91
Eriksson E (*see* Sible et al). 1995;3:37-48

F

Falanga V, Grinnel F, Gilchrest B, Maddox YT, Moshell A. Experimental approaches to chronic wounds. 1995;3:132-40 (Clinical issues)
Fay MF (*see* Tang et al). 1995;3:518-26
Ferguson MWJ (*see* Bardsley et al). 1995;3:426-41
Fingar V (*see* Kim et al). 1995;3:506-11
Flood LC (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Foree EF (*see* Wicke et al). 1995;3:284-91
Fortney DZ (*see* Nanney et al). 1995;3:442-8
Frantz FW (*see* Mast et al). 1995;3:66-72
Franzén LE, Ghassemifar N, Nordman J, Schultz G, Skogman R. Mechanisms of TGF-β action in connective tissue repair of rat mesenteric wounds. 1995;3:322-9
Fu X. Wound healing research in China. 1995;3:237-8 (Letter)
Fujita I, Onda M, Tokunaga A. Expression of interleukin-6 and tumor necrosis factor in peritoneal mononuclear cells after gastrectomy. 1995;3:168-75

G

Galiano RD (*see* Zhao et al). 1995;3:316-21
Garner WL, Rittenberg T, Ehrlich HP, Karmiol S, Rodriguez JL, Smith DJ Jr, Phan SH. Hypertrophic scar fibroblasts accelerate collagen gel contraction. 1995;3:185-91
Garner WL (*see* Ladin et al). 1995;3:6-14 (Perspective)
Gerecht K (*see* Peus et al). 1995;3:265-72
Gerhardt CO (*see* Ogawa et al). 1995;3:485-91
Ghahary Z, Shen YJ, Nedelec B, Scott PG, Tredget EE. Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts. 1995;3:176-84
Ghassemifar N (*see* Franzén et al). 1995;3:322-9
Ghosn CR (*see* Stern et al). 1995;3:59-65
Gilchrest B (*see* Falanga et al). 1995;3:132-40 (Clinical issues)
Gold LI (*see* McMullen et al). 1995;3:141-56
Gombotz WR (*see* Puolakkainen et al). 1995;3:330-9
Goretsky MJ, Breeden M, Pisarski G, Harriger MD, Boyce ST, Greenhalgh DG. Capillary morphogenesis during healing of full-thickness skin grafts: an ultrastructural study. 1995;3:213-20
——, Supp AP, Greenhalgh DG, Warden GD, Boyce ST. Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts. 1995;3:419-25
Gosiewska A (*see* Kipp et al). 1995;3:192-203
Gottrup F (*see* Jorgensen et al). 1995;3:527-32
Gould LJ (*see* Alaish et al). 1995;3:292-8
Greenhalgh DG. Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds. 1995;3:540-1 (Editorial comment)
Greenhalgh DG (*see* Brown et al). 1995;3:25-36
—— (*see* Goretsky et al). 1995;3:213-20
—— (*see* Goretsky et al). 1995;3:419-25
Grinnel F (*see* Falanga et al). 1995;3:132-40 (Clinical issues)

H

Hakim FS, Shetty S, Sidawy AN, Curcio LD, Korman LY, Harmon JW. Increased specific binding of insulin-like growth factor-I in healing cutaneous wounds. 1995;3:492-9
Halliday BJ (*see* Wicke et al). 1995;3:284-91
Hanham AF (*see* Robson et al). 1995;3:157-67
Harmon JW (*see* Hakim et al). 1995;3:492-9
Harries RHC (*see* Kucukcelebi et al). 1995;3:49-58
Harriger MD (*see* Goretsky et al). 1995;3:213-20
Harvey RL (*see* Lucas et al). 1995;3:449-60
Haynes JH, Mast BA, Krummel TM, Cohen IK, Diegelmann RF. Exposure to amniotic fluid inhibits closure of open wounds in the fetal rabbit. 1995;3:467-72
He C (*see* Arnold et al). 1995;3:299-310
Hendriks T (*see* Verhofstad et al). 1995;3:221-8
Hennessey PJ (*see* Kucukcelebi et al). 1995;3:49-58
Hill DP (*see* Robson et al). 1995;3:157-67
Hoehn J (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Holbrook KA (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Houghton PE, Keefer KA, Krummel TM. The role of transforming growth factor-β in the conversion from "scarless" healing to healing with scar formation. 1995;3:229-36
Hunt TK (*see* Wicke et al). 1995;3:284-91

J

Jia C (*see* Arnold et al). 1995;3:299-310
Jorgensen LN, Olsen L, Kallehave F, Karlsmark T, Diegelmann RF, Cohen IK, Gottrup F. The wound healing process in surgical patients evaluated by the

expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability. 1995;3:527-32
Judge T (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Jungtäubl H (*see* Peus et al). 1995;3:265-72

K

Kaiser MR, Davis SC, Mertz PM. Effect of ultraviolet radiation–induced inflammation on epidermal wound healing. 1995;3:311-5
Kallehave F (*see* Jorgensen et al). 1995;3:527-32
Kamler M (*see* Kim et al). 1995;3:506-11
Karlsmark T (*see* Jorgensen et al). 1995;3:527-32
Karmiol S (*see* Garner et al). 1995;3:185-91
Keefer KA (*see* Houghton et al). 1995;3:229-36
Kim M, Üstüner ET, Schuschke D, Morsing A, Kjolseth D, Fingar V, Wieman J, Kamler M, Tobin GR, Bond S, Barker JH. Ketanserin accelerates wound epithelialization and neovascularization. 1995;3:506-11
Kiorpes TC (*see* Senter et al). 1995;3:351-8
Kipp D, Wilson S, Gosiewska A, Peterkofsky B. Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs. 1995; 3:192-203
Kiritsy CP, Antoniades HN, Carlson MR, Beaulieu MT, D'Andrea M, Lynch SE. Combination of platelet-derived growth factor-BB and insulin-like growth factor-I is more effective than platelet-derived growth factor-BB alone in stimulating complete healing of full-thickness wounds in "older" diabetic mice. 1995;3:340-50
Kjolseth D (*see* Kim et al). 1995;3:506-11
Knaub S (*see* Peus et al). 1995;3:265-72
Knighton DR (*see* Phillips and Knighton). 1995;3:533-9 (Technical note)
Ko F (*see* Kucukcelebi et al). 1995;3:49-58
Kolb JE (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Korman LY (*see* Hakim et al). 1995;3:492-9
Krieg T (*see* Eckes et al). 1995;3:248-57 (Perspective)
—— (*see* Peus et al). 1995;3:265-72
Krummel TM (*see* Haynes et al). 1995;3:467-72
Krummel TM (*see* Mast et al). 1995;3:66-72
—— (*see* Houghton et al). 1995;3:229-36
Ksander GA (*see* Ogawa et al). 1995;3:485-91
Ksander GA (*see* Robson et al). 1995;3:157-67
Kucukcelebi A, Harries RHC, Hennessey PJ, Phillips LG, Broemeling LD, Listengarten D, Ko F, Narula S, Robson MC. In vivo characterization of interleukin-4 as a potential wound healing agent. 1995;3:49-58

L

Ladin DA, Garner WL, Smith DJ Jr. Excessive scarring as a consequence of healing. 1995;3:6-14 (Perspective)
Laemmerhirt KE (*see* Senter et al). 1995;3:351-8
Lapière CM (*see* Eckes et al). 1995;3:248-57 (Perspective)
Legrand EK (*see* Senter et al). 1995;3:351-8
Leuker A (*see* Peus et al). 1995;3:265-72
Lindblad WJ. 1995;3:1, 247, 406-7 (Editorials)
Lindblad WJ, Kolb JE, Flood LC, Holbrook KA, Cohen IK, Roland CC, Hoehn J, Judge T, McKneally MF. A late defect in wound healing associated with recurrent spontaneous pneumothoraces: a presumptive role for abnormal collagenase activity. 1995;3:15-24 (Case rep.)
—— (*see* Schwarz et al). 1995;3:204-12
Listengarten D (*see* Kucukcelebi et al). 1995;3:49-58
Longaker MT (*see* McMullen et al). 1995;3:141-56
Lorenz HP (*see* McMullen et al). 1995;3:141-56
Lucas PA, Calcutt AF, Southerland SS, Wilson JA, Harvey RL, Warejcka D, Young HE. A population of cells resident within embryonic and newborn rat skeletal muscle is capable of differentiating into multiple mesodermal phenotypes. 1995;3:449-60
Lyle WG (*see* Robson et al). 1995;3:157-67
Lynch SE (*see* Kiritsy et al). 1995;3:340-50

M

Maddox YT (*see* Falanga et al). 1995;3:132-40 (Clinical issues)
Mantras CE (*see* Stern et al). 1995;3:59-65
Mast BA, Frantz FW, Diegelmann RF, Krummel TM, Cohen IK. Hyaluronic acid degradation products induce neovascularization and fibroplasia in fetal rabbit wounds. 1995;3:66-72
—— (*see* Haynes et al). 1995;3:467-72
Masterson BJ (*see* Tang et al). 1995;3:518-26
McKneally MF (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
McMullen H, Longaker MT, Cabrera RC, Sung J, Canete J, Siebert JW, Lorenz HP, Gold LI. Spatial and temporal expression of transforming growth factor-β isoforms during ovine excisional and incisional wound repair. 1995;3:141-56
Mertz PM (*see* Kaiser et al). 1995;3:311-5
Meyer-Ingold W (*see* Arnold et al). 1995;3:299-310
—— (*see* Peus et al). 1995;3:265-72
Moore JC (*see* Rogers et al). 1995;3:273-83
Morsing A (*see* Kim et al). 1995;3:506-11
Moshell A (*see* Falanga et al). 1995;3:132-40 (Clinical issues)
Mustoe TA (*see* Zhao et al). 1995;3:316-21

N

Nanney LB, Fortney DZ, Durham DR. Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds. 1995;3:442-8
Narula S (*see* Kucukcelebi et al). 1995;3:49-58
Nedelec B (*see* Ghahary et al). 1995;3:176-84
Neufeld DA, Zhao W. Bone regrowth after digit tip amputation in mice is equivalent in adults and neonates. 1995;3:461-6
Nicolson M (*see* Stern et al). 1995;3:59-65
Nordman J (*see* Franzén et al). 1995;3:322-9
Nusgens BV (*see* Eckes et al). 1995;3:248-57 (Perspective)

O

Oberyszyn AS (*see* Robertson et al). 1995;3:473-84
Oberyszyn TM (*see* Robertson et al). 1995;3:473-84
Odom L (*see* Robson et al). 1995;3:157-67
Ogawa Y, Gerhardt CO, Ksander GA. Differential response to transforming growth factors-β_1 and β_2: connective tissue deposition in animal models. 1995;3:485-91
Oliver N (*see* Sible et al). 1995;3:37-48
Olsen L (*see* Jorgensen et al). 1995;3:527-32
Olutoye OO (*see* Alaish et al). 1995;3:292-8
Onda M (*see* Fujita et al). 1995;3:168-75
Ormsby I (*see* Brown et al). 1995;3:25-36
Ostendorf R (*see* Peus et al). 1995;3:265-72

P

Peacock EE Jr. Reflections on wound healing and regeneration. 1995;3:3-5 (Award recipient address)
Pellegrini AE (*see* Robertson et al). 1995;3:473-84
Peterkofsky B (*see* Kipp et al). 1995;3:192-203
Peus D, Jungtäubl H, Knaub S, Leuker A, Gerecht K, Ostendorf R, Meyer-Ingold W, Wlaschek M, Krieg T, Ruzicka T, Scharffetter-Kochanek K. Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers. 1995;3:265-72
Phan SH (*see* Garner et al). 1995;3:185-91
Phillip LG (*see* Robson et al). 1995;3:157-67
Phillips GD, Knighton DR. Rabbit cornea assay of angiogenesis: methodology and evaluation. 1995;3:533-9 (Technical note)
Phillips LG (*see* Kucukcelebi et al). 1995;3:49-58
Phipps RP (*see* Sempowski et al). 1995;3:120-31 (Perspective)
Pisarski G (*see* Goretsky et al). 1995;3:213-20
Puolakkainen PA, Reed MJ, Gombotz WR, Twardzik DR, Abrass IB, Sage EH. Acceleration of wound healing in aged rats by topical application of transforming growth factor-β_1. 1995;3:330-9

R

Reed MJ (*see* Puolakkainen et al). 1995;3:330-9
Rees RS (*see* Schwarz et al). 1995;3:204-12
Reinisch L (*see* Broadley et al). 1995;3:512-7
Rettig WJ (*see* Sible et al). 1995;3:37-48
Rittenberg T (*see* Garner et al). 1995;3:185-91
Roberts AB. Transforming growth factor-β: activity and efficacy in animal models of wound healing. 1995;3:408-18 (Perspective)
Robertson FM, Pellegrini AE, Ross MS, Oberyszyn AS, Boros LG, Bijur GN, Sabourin CLK, Oberyszyn TM. Interleukin-1α gene expression during wound healing. 1995;3:473-84
Robson LE (*see* Robson et al). 1995;3:157-67
Robson MC, Phillip LG, Cooper DM, Lyle WG, Robson LE, Odom L, Hill DP, Hanham AF, Ksander GA. Safety and effect of transforming growth factor-β_2 for treatment of venous stasis ulcers. 1995;3:157-67
Robson MC (*see* Kucukcelebi et al). 1995;3:49-58
Rodriguez JL (*see* Garner et al). 1995;3:185-91
Rogers AA, Burnett S, Moore JC, Shakespeare PG, Chen WYJ. Involvement of proteolytic enzymes—plasminogen activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers. 1995;3:273-83
Roland CC (*see* Lindblad et al). 1995;3:15-24 (Case rep.)
Roseeuw DI, De Coninck A, Vanpée ES, Delaey BM, Verbeken GL, Draye J-PM. Healing of full-thickness wounds treated with lyophilized cultured keratinocyte cell lysate in genetically diabetic mice. 1995;3:500-5
Ross MS (*see* Robertson et al). 1995;3:473-84
Roth SI (*see* Zhao et al). 1995;3:316-21
Ruzicka T (*see* Peus et al). 1995;3:265-72
Ryan TJ. Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage. 1995;3:258-64 (Clinical issues)

S

Sabourin CLK (*see* Robertson et al). 1995;3:473-84
Sage EH (*see* Puolakkainen et al). 1995;3:330-9
Sattar A (*see* Bardsley et al). 1995;3:426-41
Scharffetter-Kochanek K (*see* Peus et al). 1995;3:265-72
Scheuenstuhl H (*see* Wicke et al). 1995;3:284-91
Schultz G (*see* Franzén et al). 1995;3:322-9
Schuschke D (*see* Kim et al). 1995;3:506-11
Schwarz DA, Lindblad WJ, Rees RS. Altered collagen metabolism and delayed healing in a novel model of ischemic wounds. 1995;3:204-12
Scott PG (*see* Ghahary et al). 1995;3:176-84
Sempowski GD, Borrello MA, Blieden TM, Barth RK,

Phipps RP. Fibroblast heterogeneity in the healing wound. 1995;3:120-31 (Perspective)
Senter LH, Legrand EK, Laemmerhirt KE, Kiorpes TC. Assessment of full-thickness wounds in the genetically diabetic mouse for suitability as a wound healing model. 1995;3:351-8
Shah M (*see* Bardsley et al). 1995;3:426-41
Shakespeare PG (*see* Rogers et al). 1995;3:273-83
Shen YJ (*see* Ghahary et al). 1995;3:176-84
Shetty S (*see* Hakim et al). 1995;3:492-9
Sible JC, Rettig WJ, Eriksson E, Smith SP, Oliver N. Gene expression of tenascin is altered in normal scars and keloids. 1995;3:37-48
Sidawy AN (*see* Hakim et al). 1995;3:492-9
Siebert JW (*see* McMullen et al). 1995;3:141-56
Skogman R (*see* Franzén et al). 1995;3:322-9
Smith DJ Jr (*see* Garner et al). 1995;3:185-91
Smith DJ Jr (*see* Ladin et al). 1995;3:6-14 (Perspective)
Smith SP (*see* Sible et al). 1995;3:37-48
Southerland SS (*see* Lucas et al). 1995;3:449-60
Stern KL (*see* Stern et al). 1995;3:59-65
Stern ME, Waltz KM, Beurerman RW, Ghosn CR, Mantras CE, Nicolson M, Assouline M, Stern KL, Wheeler LA. Effect of platelet-derived growth factor on rabbit corneal wound healing. 1995;3:59-65
Sung J (*see* McMullen et al). 1995;3:141-56
Supp AP (*see* Goretsky et al). 1995;3:419-25

T

Tang X-M, Chegini N, Fay MF, Masterson BJ. Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro. 1995;3:518-26
Tobin GR (*see* Kim et al). 1995;3:506-11
Tokunaga A (*see* Fujita et al). 1995;3:168-75
Tredget EE (*see* Ghahary et al). 1995;3:176-84
Twardzik DR (*see* Puolakkainen et al). 1995;3:330-9

U

Üstüner ET (*see* Kim et al). 1995;3:506-11

V

van der Hem LG (*see* Verhofstad et al). 1995;3:221-8
van der Vliet JA (*see* Verhofstad et al). 1995;3:221-8
Vanpée ES (*see* Roseeuw et al). 1995;3:500-5
Verbeken GL (*see* Roseeuw et al). 1995;3:500-5
Verhofstad MHJ, van der Hem LG, van der Vliet JA, Hendriks T. Pancreatic islet transplantation prevents the impaired healing of intestinal anastomoses in Lewis rats with streptozotocin-induced diabetes. 1995;3:221-8

W

Waltz KM (*see* Stern et al). 1995;3:59-65
Warden GD (*see* Goretsky et al). 1995;3:419-25
Warejcka D (*see* Lucas et al). 1995;3:449-60
West DC (*see* Arnold et al). 1995;3:299-310
Wheeler LA (*see* Stern et al). 1995;3:59-65
Wicke C, Halliday BJ, Scheuenstuhl H, Foree EF, Hunt TK. Examination of expanded polytetrafluoroethylene wound healing models. 1995;3:284-91
Wieman J (*see* Kim et al). 1995;3:506-11
Wilson JA (*see* Lucas et al). 1995;3:449-60
Wilson S (*see* Kipp et al). 1995;3:192-203
Wlaschek M (*see* Peus et al). 1995;3:265-72

Y

Yager DR (*see* Alaish et al). 1995;3:292-8
Young HE (*see* Lucas et al). 1995;3:449-60

Z

Zhao LL, Galiano RD, Cox GN, Roth SI, Mustoe TA. Effects of insulin-like growth factor-I and insulin-like growth factor binding protein-1 on wound healing in a dermal ulcer model. 1995;3:316-21
Zhao W (*see* Neufeld and Zhao). 1995;3:461-6

Subject Index

A

Abstracts
Abstracts from the Fifth Annual Meeting of the European Tissue Repair Society. 1995;3:361-401
Abstracts from the Fifth Annual Meeting of the Wound Healing Society. 1995;3:76-108
Abstracts from the 1995 Regeneration Forum. 1995;3:109-15

Aging
Acceleration of wound healing in aged rats by topical application of transforming growth factor-β_1 (Puolakkainen et al). 1995;3:330-9
Combination of platelet-derived growth factor-BB and insulin-like growth factor-I is more effective than platelet-derived growth factor-BB alone in stimulating complete healing of full-thickness wounds in "older" diabetic mice (Kiritsy et al). 1995;3:340-50

Amniotic fluid
Exposure to amniotic fluid inhibits closure of open wounds in the fetal rabbit (Haynes et al). 1995; 3:467-72

Amputation
Bone regrowth after digit tip amputation in mice is equivalent in adults and neonates (Neufeld and Zhao). 1995;3:461-6

Anastomosis, surgical
Pancreatic islet transplantation prevents the impaired healing of intestinal anastomoses in Lewis rats with streptozotocin-induced diabetes (Verhofstad et al). 1995;3:221-8

Angiogenesis; see Neovascularization

Awards
Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers (Peus et al). 1995;3:265-72
Reflections on wound healing and regeneration (Peacock). 1995;3:3-5 (Award recipient address)
Spatial and temporal expression of transforming growth factor-β isoforms during ovine excisional and incisional wound repair (McMullen et al). 1995;3:141-56
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995;3:419-25

B

Biology
In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review (Eckes et al). 1995;3:248-57 (Perspective)

Blood
Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage (Ryan). 1995;3:258-64 (Clinical issues)

Bone
Bone regrowth after digit tip amputation in mice is equivalent in adults and neonates (Neufeld and Zhao). 1995;3:461-6

Burns
Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds (Nanney et al); (Greenhalgh) (Editorial comment). 1995;3:442-8, 540-1

C

Capillaries
Capillary morphogenesis during healing of full-thickness skin grafts: an ultrastructural study (Goretsky et al). 1995;3:213-20

Case reports
A late defect in wound healing associated with recurrent spontaneous pneumothoraces: a presumptive role for abnormal collagenase activity (Lindblad et al). 1995;3:15-24

Cells, cultured
In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review (Eckes et al). 1995;3:248-57 (Perspective)

China
Wound healing research in China (Fu). 1995;3:237-8 (Letter)

Cicatrix
Excessive scarring as a consequence of healing (Ladin et al). 1995;3:6-14 (Perspective)
Gene expression of tenascin is altered in normal scars and keloids (Sible et al). 1995;3:37-48

January-March, pp. 1-118; April-June, pp. 119-246; July-September, pp. 247-404; October-December, pp. 405-560.

Hypertrophic scar fibroblasts accelerate collagen gel contraction (Garner et al). 1995;3:185-91
The role of transforming growth factor-β in the conversion from "scarless" healing to healing with scar formation (Houghton et al). 1995;3:229-36

Clinical issues
Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage (Ryan). 1995;3:258-64
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40

Collagen
Altered collagen metabolism and delayed healing in a novel model of ischemic wounds (Schwarz et al). 1995;3:204-12
Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs (Kipp et al). 1995;3:192-203
Excessive scarring as a consequence of healing (Ladin et al). 1995;3:6-14 (Perspective)
Hypertrophic scar fibroblasts accelerate collagen gel contraction (Garner et al). 1995;3:185-91
In vivo characterization of interleukin-4 as a potential wound healing agent (Kucukcelebi et al). 1995;3:49-58

Collagenase
Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995;3:176-84
A late defect in wound healing associated with recurrent spontaneous pneumothoraces: a presumptive role for abnormal collagenase activity (Lindblad et al). 1995;3:15-24 (Case rep.)

Connective tissue
Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs (Kipp et al). 1995;3:192-203
Differential response to transforming growth factors-β_1 and β_2: connective tissue deposition in animal models (Ogawa et al). 1995;3:485-91
Mechanisms of TGF-β action in connective tissue repair of rat mesenteric wounds (Franzén et al). 1995;3:322-9

Cornea
Effect of platelet-derived growth factor on rabbit corneal wound healing (Stern et al). 1995;3:59-65
Rabbit cornea assay of angiogenesis: methodology and evaluation (Phillips and Knighton). 1995;3:533-9 (Technical note)

Correspondence
Wound healing research in China (Fu). 1995; 3:237-8

Cytokines
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)
Interleukin-1α gene expression during wound healing (Robertson et al). 1995;3:473-84
Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro (Tang et al). 1995;3:518-26

D

Data collection
Quantitative analysis of wound healing (Bardsley et al). 1995;3:426-41

Decubitus ulcer
Involvement of proteolytic enzymes—plasminogen activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers (Rogers et al). 1995;3:273-83

Diabetes
Assessment of full-thickness wounds in the genetically diabetic mouse for suitability as a wound healing model (Senter et al). 1995;3:351-8
Combination of platelet-derived growth factor-BB and insulin-like growth factor-I is more effective than platelet-derived growth factor-BB alone in stimulating complete healing of full-thickness wounds in "older" diabetic mice (Kiritsy et al). 1995;3:340-50
Healing of full-thickness wounds treated with lyophilized cultured keratinocyte cell lysate in genetically diabetic mice (Roseeuw et al). 1995;3:500-5

Diabetes mellitus, experimental
Pancreatic islet transplantation prevents the impaired healing of intestinal anastomoses in Lewis rats with streptozotocin-induced diabetes (Verhofstad et al). 1995;3:221-8

E

Editorials
Editorials. 1995;3:1-2, 119, 247, 406-7

Eicosanoids
Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro (Tang et al). 1995;3:518-26

Embryo
A population of cells resident within embryonic and newborn rat skeletal muscle is capable of differentiating into multiple mesodermal phenotypes (Lucas et al). 1995;3:449-60

Enzymes
Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds (Nanney et al); (Greenhalgh) (Editorial comment). 1995;3:442-8, 540-1

Epidermis
Effect of ultraviolet radiation–induced inflammation on epidermal wound healing (Kaiser et al). 1995; 3:311-5
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995; 3:419-25

Epithelium
Ketanserin accelerates wound epithelialization and neovascularization (Kim et al). 1995;3:506-11

European Tissue Repair Society
Abstracts from the Fifth Annual Meeting of the European Tissue Repair Society. 1995;3:361-401

F

Fetus
Exposure to amniotic fluid inhibits closure of open wounds in the fetal rabbit (Haynes et al). 1995; 3:467-72

Fibrin
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)

Fibroblasts
Effect of platelet-derived growth factor on rabbit corneal wound healing (Stern et al). 1995;3:59-65
Fibroblast heterogeneity in the healing wound (Sempowski et al). 1995;3:120-31 (Perspective)
Hyaluronic acid degradation products induce neovascularization and fibroplasia in fetal rabbit wounds (Mast et al). 1995;3:66-72
Hypertrophic scar fibroblasts accelerate collagen gel contraction (Garner et al). 1995;3:185-91
In vivo characterization of interleukin-4 as a potential wound healing agent (Kucukcelebi et al). 1995;3:49-58
Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995; 3:176-84

Fingers
Bone regrowth after digit tip amputation in mice is equivalent in adults and neonates (Neufeld and Zhao). 1995;3:461-6

G

Gastrectomy
Expression of interleukin-6 and tumor necrosis factor in peritoneal mononuclear cells after gastrectomy (Fujita et al). 1995;3:168-75

Gene expression
Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs (Kipp et al). 1995;3:192-203
Gene expression of tenascin is altered in normal scars and keloids (Sible et al). 1995;3:37-48
Interleukin-1α gene expression during wound healing (Robertson et al). 1995;3:473-84

Gloves, surgical
Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro (Tang et al). 1995; 3:518-26

Graft survival
Capillary morphogenesis during healing of full-thickness skin grafts: an ultrastructural study (Goretsky et al). 1995;3:213-20

Granulation tissue
Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs (Kipp et al). 1995;3:192-203
Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage (Ryan). 1995;3:258-64 (Clinical issues)

Growth factors
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)

Guest reviewers
Guest reviewers. 1995;3:405

H

Helium-neon
Low-energy helium-neon laser irradiation and the tensile strength of incisional wounds in the rat (Broadley et al). 1995;3:512-7

Heterogeneity
Fibroblast heterogeneity in the healing wound (Sempowski et al). 1995;3:120-31 (Perspective)
Hyaluronan, heterogeneity, and healing: the effects

of ultrapure hyaluronan of defined molecular size on the repair of full-thickness pig skin wounds (Arnold et al). 1995;3:299-310

Hyaluronan

Hyaluronan, heterogeneity, and healing: the effects of ultrapure hyaluronan of defined molecular size on the repair of full-thickness pig skin wounds (Arnold et al). 1995;3:299-310

Hyaluronic acid

Hyaluronic acid degradation products induce neovascularization and fibroplasia in fetal rabbit wounds (Mast et al). 1995;3:66-72

Hypertrophy

Hypertrophic scar fibroblasts accelerate collagen gel contraction (Garner et al). 1995;3:185-91

Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995;3:176-84

Hypoxia

Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)

I

Implants, artificial

Comparison of polyvinyl alcohol sponge and expanded polytetrafluoroethylene subcutaneous implants as models to evaluate wound healing potential in human beings (Alaish et al). 1995; 3:292-8

Examination of expanded polytetrafluoroethylene wound healing models (Wicke et al). 1995;3:284-91

The wound healing process in surgical patients evaluated by the expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability (Jorgensen et al). 1995;3:527-32

Infant, newborn

Bone regrowth after digit tip amputation in mice is equivalent in adults and neonates (Neufeld and Zhao). 1995;3:461-6

A population of cells resident within embryonic and newborn rat skeletal muscle is capable of differentiating into multiple mesodermal phenotypes (Lucas et al). 1995;3:449-60

Inflammation

Effect of ultraviolet radiation–induced inflammation on epidermal wound healing (Kaiser et al). 1995;3:311-5

Wound healing in the transforming growth factor-β_1–deficient mouse (Brown et al). 1995;3:25-36

Insulin-like growth factor

Combination of platelet-derived growth factor-BB and insulin-like growth factor-I is more effective than platelet-derived growth factor-BB alone in stimulating complete healing of full-thickness wounds in "older" diabetic mice (Kiritsy et al). 1995;3:340-50

Effects of insulin-like growth factor-I and insulin-like growth factor binding protein-1 on wound healing in a dermal ulcer model (Zhao et al). 1995;3: 316-21

Increased specific binding of insulin-like growth factor-I in healing cutaneous wounds (Hakim et al). 1995;3:492-9

Interferons

Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995;3:176-84

Interleukins

Expression of interleukin-6 and tumor necrosis factor in peritoneal mononuclear cells after gastrectomy (Fujita et al). 1995;3:168-75

In vivo characterization of interleukin-4 as a potential wound healing agent (Kucukcelebi et al). 1995;3:49-58

Interleukin-1α gene expression during wound healing (Robertson et al). 1995;3:473-84

Wound healing in the transforming growth factor-β_1–deficient mouse (Brown et al). 1995;3:25-36

Intestines

Pancreatic islet transplantation prevents the impaired healing of intestinal anastomoses in Lewis rats with streptozotocin-induced diabetes (Verhofstad et al). 1995;3:221-8

Ischemia

Altered collagen metabolism and delayed healing in a novel model of ischemic wounds (Schwarz et al). 1995;3:204-12

Islets of Langerhans transplantation

Pancreatic islet transplantation prevents the impaired healing of intestinal anastomoses in Lewis rats with streptozotocin-induced diabetes (Verhofstad et al). 1995;3:221-8

K

Keloids

Excessive scarring as a consequence of healing (Ladin et al). 1995;3:6-14 (Perspective)

Gene expression of tenascin is altered in normal scars and keloids (Sible et al). 1995;3:37-48

Keratinocytes
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)
Healing of full-thickness wounds treated with lyophilized cultured keratinocyte cell lysate in genetically diabetic mice (Roseeuw et al). 1995;3:500-5
Ketanserin
Ketanserin accelerates wound epithelialization and neovascularization (Kim et al). 1995;3:506-11

L

Lactates
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)
Laser therapy
Low-energy helium-neon laser irradiation and the tensile strength of incisional wounds in the rat (Broadley et al). 1995;3:512-7
Letter
Wound healing research in China (Fu). 1995;3:237-8
Lifetime Achievement Award
Reflections on wound healing and regeneration (Peacock). 1995;3:3-5 (Award recipient address)
Lymphatic system
Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage (Ryan). 1995;3:258-64 (Clinical issues)
Lymphocytes
Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro (Tang et al). 1995; 3:518-26
Lysate
Healing of full-thickness wounds treated with lyophilized cultured keratinocyte cell lysate in genetically diabetic mice (Roseeuw et al). 1995;3:500-5

M

Macrophages
Surgical glove powders differentially modulate macrophage and lymphocyte-derived cytokines and eicosanoids production in vitro (Tang et al). 1995;3:518-26
Matrix metalloproteinases; *see* **Metalloproteinases**
Mesentery
Mechanisms of TGF-β action in connective tissue repair of rat mesenteric wounds (Franzén et al). 1995;3:322-9
Mesoderm
A population of cells resident within embryonic and newborn rat skeletal muscle is capable of differentiating into multiple mesodermal phenotypes (Lucas et al). 1995;3:449-60
Metalloproteinases
Experimental approaches to chronic wounds (Falanga et al). 1995;3:132-40 (Clinical issues)
Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995;3:176-84
Involvement of proteolytic enzymes—plasminogen activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers (Rogers et al). 1995;3:273-83
Models
Altered collagen metabolism and delayed healing in a novel model of ischemic wounds (Schwarz et al). 1995;3:204-12
Assessment of full-thickness wounds in the genetically diabetic mouse for suitability as a wound healing model (Senter et al). 1995;3:351-8
Comparison of polyvinyl alcohol sponge and expanded polytetrafluoroethylene subcutaneous implants as models to evaluate wound healing potential in human beings (Alaish et al). 1995;3: 292-8
Differential response to transforming growth factors-β_1 and β_2: connective tissue deposition in animal models (Ogawa et al). 1995;3:485-91
Effects of insulin-like growth factor-I and insulin-like growth factor binding protein-1 on wound healing in a dermal ulcer model (Zhao et al). 1995; 3:316-21
Examination of expanded polytetrafluoroethylene wound healing models (Wicke et al). 1995;3:284-91
Quantitative analysis of wound healing (Bardsley et al). 1995;3:426-41
Transforming growth factor-β: activity and efficacy in animal models of wound healing (Roberts). 1995;3:408-18 (Perspective)
The wound healing process in surgical patients evaluated by the expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability (Jorgensen et al). 1995;3:527-32
mRNA; *see* **RNA, messenger**
Muscle
A population of cells resident within embryonic and newborn rat skeletal muscle is capable of differentiating into multiple mesodermal phenotypes (Lucas et al). 1995;3:449-60

N

Neonate; *see* **Infant, newborn**

Neovascularization

Hyaluronic acid degradation products induce neovascularization and fibroplasia in fetal rabbit wounds (Mast et al). 1995;3:66-72

Ketanserin accelerates wound epithelialization and neovascularization (Kim et al). 1995;3:506-11

Rabbit cornea assay of angiogenesis: methodology and evaluation (Phillips and Knighton). 1995;3:533-9 (Technical note)

Newborn; *see* **Infant, newborn**

P

Pancreatic islet transplantation; *see* **Islets of Langerhans transplantation**

Peritoneum

Expression of interleukin-6 and tumor necrosis factor in peritoneal mononuclear cells after gastrectomy (Fujita et al). 1995;3:168-75

Perspective articles

Excessive scarring as a consequence of healing (Ladin et al). 1995;3:6-14

Fibroblast heterogeneity in the healing wound (Sempowski et al). 1995;3:120-31

In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review (Eckes et al). 1995;3:248-57

Transforming growth factor-β: activity and efficacy in animal models of wound healing (Roberts). 1995;3:408-18

Pharmacology

In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review (Eckes et al). 1995;3:248-57 (Perspective)

Plasminogen activators

Involvement of proteolytic enzymes—plasminogen activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers (Rogers et al). 1995;3:273-83

Platelet-derived growth factor

Combination of platelet-derived growth factor-BB and insulin-like growth factor-I is more effective than platelet-derived growth factor-BB alone in stimulating complete healing of full-thickness wounds in "older" diabetic mice (Kiritsy et al). 1995;3:340-50

Effect of platelet-derived growth factor on rabbit corneal wound healing (Stern et al). 1995;3:59-65

Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers (Peus et al). 1995;3:265-72

Pneumothorax

A late defect in wound healing associated with recurrent spontaneous pneumothoraces: a presumptive role for abnormal collagenase activity (Lindblad et al). 1995;3:15-24 (Case rep.)

Polytetrafluoroethylene

Comparison of polyvinyl alcohol sponge and expanded polytetrafluoroethylene subcutaneous implants as models to evaluate wound healing potential in human beings (Alaish et al). 1995;3:292-8

Examination of expanded polytetrafluoroethylene wound healing models (Wicke et al). 1995;3:284-91

The wound healing process in surgical patients evaluated by the expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability (Jorgensen et al). 1995;3:527-32

Polyvinyl alcohol sponge

Comparison of polyvinyl alcohol sponge and expanded polytetrafluoroethylene subcutaneous implants as models to evaluate wound healing potential in human beings (Alaish et al). 1995;3:292-8

The wound healing process in surgical patients evaluated by the expanded polytetrafluoroethylene and the polyvinyl alcohol sponge: a comparison with special reference to intrapatient variability (Jorgensen et al). 1995;3:527-32

Pregnancy

Exposure to amniotic fluid inhibits closure of open wounds in the fetal rabbit (Haynes et al). 1995;3:467-72

Pressure ulcer; *see* **Decubitus ulcer**

Proteolytic enzymes

Involvement of proteolytic enzymes—plasminogen activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers (Rogers et al). 1995;3:273-83

R

1995 Regeneration Forum

Abstracts from the 1995 Regeneration Forum. 1995;3:109-15

Research

Quantitative analysis of wound healing (Bardsley et al). 1995;3:426-41

Wound healing research in China (Fu). 1995;3:237-8 (Letter)

Revascularization

Capillary morphogenesis during healing of full-thickness skin grafts: an ultrastructural study (Goretsky et al). 1995;3:213-20

RNA, messenger
Interferons gamma and alpha-2b differentially regulate the expression of collagenase and tissue inhibitor of metalloproteinase-1 messenger RNA in human hypertrophic and normal dermal fibroblasts (Ghahary et al). 1995;3:176-84

S

Scar; *see* **Cicatrix**
Skin
Effects of insulin-like growth factor-I and insulin-like growth factor binding protein-1 on wound healing in a dermal ulcer model (Zhao et al). 1995;3:316-21
Exchange and the mechanical properties of the skin: oncotic and hydrostatic forces control by blood supply and lymphatic drainage (Ryan). 1995;3:258-64 (Clinical issues)
Healing of full-thickness wounds treated with lyophilized cultured keratinocyte cell lysate in genetically diabetic mice (Roseeuw et al). 1995;3:500-5
Hyaluronan, heterogeneity, and healing: the effects of ultrapure hyaluronan of defined molecular size on the repair of full-thickness pig skin wounds (Arnold et al). 1995;3:299-310
In vitro reconstituted skin as a tool for biology, pharmacology and therapy: a review (Eckes et al). 1995;3:248-57 (Perspective)
Increased specific binding of insulin-like growth factor-I in healing cutaneous wounds (Hakim et al). 1995;3:492-9
Skin substitutes
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995; 3:419-25
Skin transplantation
Capillary morphogenesis during healing of full-thickness skin grafts: an ultrastructural study (Goretsky et al). 1995;3:213-20
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995; 3:419-25
Streptozotocin-induced diabetes; *see* **Diabetes mellitus, experimental**
Surface electrical capacitance
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995; 3:419-25
Surgical gloves; *see* **Gloves, surgical**

T

Technical note
Rabbit cornea assay of angiogenesis: methodology and evaluation (Phillips and Knighton). 1995; 3:533-9
Tenascin
Gene expression of tenascin is altered in normal scars and keloids (Sible et al). 1995;3:37-48
Tensile strength
Low-energy helium-neon laser irradiation and the tensile strength of incisional wounds in the rat (Broadley et al). 1995;3:512-7
Transforming growth factors
Acceleration of wound healing in aged rats by topical application of transforming growth factor-β_1 (Puolakkainen et al). 1995;3:330-9
Differential response to transforming growth factors-β_1 and β_2: connective tissue deposition in animal models (Ogawa et al). 1995;3:485-91
Mechanisms of TGF-β action in connective tissue repair of rat mesenteric wounds (Franzén et al). 1995;3:322-9
The role of transforming growth factor-β in the conversion from "scarless" healing to healing with scar formation (Houghton et al). 1995;3:229-36
Safety and effect of transforming growth factor-β_2 for treatment of venous stasis ulcers (Robson et al). 1995;3:157-67
Spatial and temporal expression of transforming growth factor-β isoforms during ovine excisional and incisional wound repair (McMullen et al). 1995; 3:141-56
Transforming growth factor-β: activity and efficacy in animal models of wound healing (Roberts). 1995; 3:408-18 (Perspective)
Wound healing in the transforming growth factor-β_1–deficient mouse (Brown et al). 1995;3:25-36
Tumor necrosis factor
Expression of interleukin-6 and tumor necrosis factor in peritoneal mononuclear cells after gastrectomy (Fujita et al). 1995;3:168-75
Wound healing in the transforming growth factor-β_1–deficient mouse (Brown et al). 1995;3:25-36

U

Ulcers
Effects of insulin-like growth factor-I and insulin-like growth factor binding protein-1 on wound healing in a dermal ulcer model (Zhao et al). 1995; 3:316-21
Involvement of proteolytic enzymes—plasminogen

activators and matrix metalloproteinases—in the pathophysiology of pressure ulcers (Rogers et al). 1995;3:273-83
Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers (Peus et al). 1995;3:265-72
Safety and effect of transforming growth factor-β_2 for treatment of venous stasis ulcers (Robson et al). 1995;3:157-67

Ultraviolet rays
Effect of ultraviolet radiation–induced inflammation on epidermal wound healing (Kaiser et al). 1995;3:311-5

V

Varicose ulcer
Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers (Peus et al). 1995;3:265-72
Safety and effect of transforming growth factor-β_2 for treatment of venous stasis ulcers (Robson et al). 1995;3:157-67

Venous ulcer; see Varicose ulcer

Vibriolysin
Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds (Nanney et al); (Greenhalgh) (Editorial comment). 1995;3:442-8, 540-1

Vitamin C
Differential regulation of collagen gene expression in granulation tissue and nonrepair connective tissues in vitamin C–deficient guinea pigs (Kipp et al). 1995;3:192-203

W

Wound debridement
Effect of vibriolysin, an enzymatic debriding agent, on healing of partial-thickness burn wounds (Nanney et al); (Greenhalgh) (Editorial comment). 1995;3:442-8; 540-1

Wound healing, history and future
The past, present, and future of wound healing (Cherry). 1995;3:119 (Editorial)

Wound Healing Society
Abstracts from the Fifth Annual Meeting of the Wound Healing Society. 1995;3:76-108
Reflections on wound healing and regeneration (Peacock). 1995;3:3-5 (Award recipient address)

Y

Young Investigator Award
Localization of platelet-derived growth factor receptor subunit expression in chronic venous leg ulcers (Peus et al). 1995;3:265-72
Spatial and temporal expression of transforming growth factor-β isoforms during ovine excisional and incisional wound repair (McMullen et al). 1995; 3:141-56
Surface electrical capacitance as an index of epidermal barrier properties of composite skin substitutes and skin autografts (Goretsky et al). 1995; 3:419-25